

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Tuesday, August 08, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L6	L5 same GAL4	3
<input type="checkbox"/>	L5	estrogen same glucocorticoid same reporter same (interaction or hybrid)	18
<input type="checkbox"/>	L4	two near hybrid same reporter same estrogen with activator	22
<input type="checkbox"/>	L3	L2 same (modulator or inhibitor)	2
<input type="checkbox"/>	L2	two near hybrid same reporter same estrogen	60
<input type="checkbox"/>	L1	two near hybrid same reporter same activator	3695

END OF SEARCH HISTORY

(FILE 'HOME' ENTERED AT 17:12:02 ON 08 AUG 2006)

FILE 'BIOSIS' ENTERED AT 17:12:15 ON 08 AUG 2006

L1 392 S (INTERACTION OR HYBRID) (P) REPORTER (P) (AGENT OR
ACTIVATOR)
L2 0 S L1 (P) ALTER? (W) (AMOUNT OR CONCENTRATION) (W) (AGENT
OR ACTIVATOR)
L3 3612 S (INTERACTION OR HYBRID) (P) REPORTER
L4 0 S L3 (P) (AGENT OR ACTIVATOR OR COMPOUND) (W) (AMOUNT
OR CONCENTRATION)
L5 1 S L3 (P) (AGENT OR ACTIVATOR OR COMPOUND) (W) (AMOUNT
OR CONCENTRATION)
L6 340 S (INTERACTION OR TWO (A) HYBRID) (P) REPORTER (P)
ACTIVATOR?
L7 83 S (INTERACTION OR TWO (A) HYBRID) (P) REPORTER (P)
ACTIVATORS
L8 22 S TWO (A) HYBRID (P) REPORTER (P) ACTIVATORS
L9 133 S (INTERACTION OR TWO (A) HYBRID) (P) REPORTER (P)
STEROID
L10 30 S TWO (A) HYBRID (P) REPORTER (P) STEROID
L11 58 S TWO (A) HYBRID (P) REPORTER (P) (ESTROGEN OR
ANDROGEN)
L12 36 S TWO (A) HYBRID (P) REPORTER (P) ESTROGEN

FILE 'BIOSIS' ENTERED AT 17:47:28 ON 08 AUG 2006

L14 4 S TWO (A) HYBRID (P) REPORTER (P) ESTROGEN (P) GAL4
L15 1 S TWO (A) HYBRID (P) REPORTER (P) ESTROGEN (P) GAL4 (P)
GLUCOCORTICOID



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI [?](#)
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)
[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[OMIM](#)
[PMC](#)
[Journals](#)
[Books](#)

Search ☒ for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)
[About Entrez](#)
[Text Version](#)

- Search History will be lost after eight hours of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.
- Click on query # to add to strategy

Entrez PubMed

[Overview](#)
[Help | FAQ](#)
[Tutorials](#)
[New/Noteworthy](#)
[E-Utilities](#)

PubMed Services

[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[Special Queries](#)
[LinkOut](#)
[My NCBI](#)

Search

Most Recent Queries

Time Result

#11 Search two hybrid reporter activator promoters	14:49:07	42
#10 Search two hybrid reporter activator dose responsive	14:45:45	2
#9 Search two hybrid reporter activator dose-responsive	14:45:40	0
#8 Search two hybrid reporter activator	14:45:15	142
#7 Search two hybrid reporter	14:44:53	1411
#4 Search two hybrid GAL4 estrogen glucocorticoid	14:37:10	4
#3 Search two hybrid GAL4 estrogen promoter	14:36:43	7
#2 Search two hybrid GAL4	14:36:34	452
#1 Search two hybrid	14:36:21	28113

Related Resources

[Order Documents](#)
[NLM Mobile](#)
[NLM Catalog](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)
[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement | Freedom of Information Act | Disclaimer](#)

Aug 7 2006 07:06:54